

tayco.  
work well.™

V.E.S.

value engineered system

pricebook

december 1, 2011

# tayco | table of contents

---

|                                 |       |
|---------------------------------|-------|
| general information             |       |
| terms & conditions              | 1-2   |
| warranty                        | 2     |
| <br>                            |       |
| product overview                |       |
| fabric panel                    | 3-5   |
| wing fabric panel               | 6     |
| glazed panel                    | 7     |
| wing glazed panel               | 8     |
| strata panel                    | 9     |
| end posts and top caps          | 10    |
| panel fillers                   | 11    |
| wall connectors                 | 12    |
| straight worksurfaces           | 13    |
| worksurfaces with grommets      | 14    |
| 5-sided corner surfaces         | 15    |
| unitized worksurfaces           | 16    |
| cantilevers                     | 17    |
| gables                          | 18    |
| horizontal worksurface supports | 19    |
| underdesk storage               | 20    |
| overhead storage                | 22    |
| accessories                     | 23-29 |

# tayco | terms and conditions

---

## PRICES

Prices listed herein are for the V.E.S. product line. Prices are subject to change without notice. Not included in the list prices are special packaging, freight, unloading, unpacking and installation. Possession of this price list does not constitute an offer to sell. Only orders received from authorized Tayco dealers will be processed.

## PAYMENT

Terms of payment are net 30 days from date of invoice, upon credit approval. All payments should be remitted to:  
630 Kipling Avenue, Toronto, Ontario, Canada M8Z 5G1

## ORDER PLACEMENT AND CONFIRMATION

Tayco requires that all orders be in writing and accompanied by an Order Cover Sheet to avoid errors. When placing orders, please refer to products by their product code and Tayco quotation number, if applicable. Specify all applicable finishes and clearly indicate the total net value of the order on the Purchase Order. Also note the "ship to" address if it is different from the "bill to" address.

All orders should be faxed or emailed to:  
(416) 252-4467, [purchaseorders@tayco.com](mailto:purchaseorders@tayco.com)

## ORDER ACKNOWLEDGEMENT

Upon receiving a Purchase Order, Tayco will fax an Order Acknowledgement indicating the shipping schedule and a description of the goods ordered. It is the responsibility of the Purchaser to verify the Order Acknowledgement for accuracy.

## ORDER CHANGES

All changes to a Purchase Order must be made in writing and are subject to approval by Tayco. Please note: changes may affect the lead-time and may be subject to additional charges. Once production has begun, no changes will be accepted.

## ORDER CANCELLATION

All cancellations must be made in writing and are subject to approval by Tayco. Orders in production will incur a minimum charge of 50% (of net) for cancellation. Once production has begun, cancellations will not be accepted.

## SPECIFICATIONS

Detailed specifications are available upon request. Tayco reserves the right to make changes in materials, dimensions, style or specifications if the changes will improve an item's quality or appearance.

## STORAGE

In the event that the Purchaser requests postponement of delivery beyond the acknowledged shipping date (after the goods have become a "work in progress", or at a time when Tayco is about to make shipment), the Purchaser must exercise one of two options:

> Immediately transfer the goods to a storage facility of the Purchaser's choice at the risk and expense of the Purchaser. Such transfer to storage shall be deemed as delivery to the Purchaser for all purposes, including invoicing and payment.

> Store the product at Tayco for up to 30 days. Storage fees will be incurred five days after the order is ready for shipment. The storage rate is \$25 per day up to a maximum of \$10,000 net, for orders greater than \$10,000 net, the storage rate will be \$50 per day. On the 31st day after manufacturing completion, the order must be shipped or the Purchaser must make arrangements for the storage of goods.

All goods are payable from the date Tayco has finished manufacturing.

## ORDER DELAYS

Tayco's Order Acknowledgement will state a shipping date, which is Tayco's best estimate at the time the order is acknowledged. However, Tayco shall not incur any obligation or liability to the Purchaser for failure to ship by the specified date unless Tayco has agreed to an unequivocal, firm shipping date in a separately signed written document, executed by authorized personnel at Head Office. Tayco holds no liability for any failure to deliver or any delay in delivering or performing any obligation due to any cause outside the reasonable control of Tayco, including but not limited to, fire, flood, bad weather, war, terrorism, civil disturbance, riot, act of government, government regulation, governmental restriction on export or import, currency restriction, labor dispute, strike, plant shutdown, unavailability of materials, equipment failure or failure of supplier, carrier or subcontractor to deliver on time or otherwise perform.

## BACK CHARGES

Tayco will not accept charges for expenses incurred by the Purchaser in expediting shipments, for the repair of damage caused by others or for delay of any shipment. Deductions from invoice payments are not permitted unless authorized in writing by Tayco.

## FREIGHT TERMS

All goods are sold F.O.B. Tayco, Toronto, Canada, unless otherwise quoted. All shipments are LTL (less than truck-load) dock-to-dealer dock, Monday through Friday, 8 a.m. to 5 p.m. The following services may be arranged for an extra charge: delivery after hours on Canadian or U.S. holidays or weekends, residential or inside delivery, delivery to government buildings or schools, use of special equipment (tailgate, pump-truck), delivery to an end user, delivery by appointment or within specific time requirements. Special requests must be noted on the Purchase Order. Tayco will provide customers with an anticipated date of delivery. Every effort is made to adhere to the prescribed delivery date; however, neither Tayco nor the carrier will guarantee or be held responsible in any manner for delays or deviation from the planned delivery date. Drivers are not responsible or permitted to assist in the off-load of product. Tayco is not responsible for any costs incurred for late deliveries, including labor or other charges resulting from unforeseen delays.

# tayco | terms and conditions

---

## FREIGHT CLAIMS

Tayco is not responsible for damage that occurs in transit or in storage. The carrier signs for all goods received in good order from Tayco. It is the Purchaser's responsibility to examine goods upon receipt and file any claims with Tayco. Any damages or shortages must be noted on the bill of lading prior to signing for the delivery. Any claims against Tayco for apparent defects, errors or shortages must be made by the Purchaser, in writing, within five (5) working days after delivery. Failure by the Purchaser to make any claim against Tayco within five days shall constitute acceptance of the goods and waive the right to claim any apparent defects, errors or shortages.

## TERMINATION

If at any time Tayco is reasonably led to believe that its interests are imperiled, Tayco may, without prejudice, terminate any order immediately or may defer shipment until the situation is remedied to Tayco's satisfaction. Reasons for order termination include, but are not limited to, the following: default in payment of any sum due to Tayco, breach of any of the terms and conditions of an order or other contract with Tayco, a material change in ownership or form of the purchasing organization or if at any time the Purchaser's financial condition becomes unsatisfactory to Tayco.

## RETURN MERCHANDISE

It is not Tayco's policy to accept returned product. In extenuating circumstances the return of product may be approved by Tayco. The Purchaser must request a Return Authorization Form from Tayco. All such returns must be shipped freight prepaid including duty and brokerage fees unless otherwise indicated by Tayco. Standard items are subject to a minimum restocking charge of 50% of the net value of the returned items. COD (cash on delivery) returns will not be accepted.

## REPAIRS

Liability for the repair of items will be limited to repair or replacement. Tayco will not issue credit allowances for any repairs without Tayco's prior written consent.

## REPLACEMENT PARTS

Replacement parts will be processed as a priority. Please consult with Customer Service for prices and include product codes and descriptions with your Purchase Order.

# tayco | warranty

---

Tayco products included in our standard offering are covered by a limited lifetime warranty to the original customer.

Tayco warrants that its products are defect free in design, materials and workmanship under normal use and care. Upon inspection, Tayco reserves the right to repair, correct or exchange at our option any product that is defective in material or workmanship. Value of exchanged products will be of equal value of the original item.


Limitations to this warranty include:

- Task Lights are warranted for one year from the date of delivery.
- Keyboard Trays and mechanisms are warranted for three years from the date of delivery.
- Moving parts, which include slides, glides, arms and casters are warranted for five-years from the date of delivery.
- Flat screen monitor arms are warranted for three years from the date of delivery.
- Electrical components are warranted for 10 years from the date of delivery.

This warranty does not include:

- Ballast and light bulbs.
- Customer's Own Material of any kind.
- Product damage caused by improper installation, accident, negligence, natural disaster, insufficient or excessive electrical supply, environmental conditions, or any unauthorized repair or modification.
- Product damage caused by a carrier or transportation of the product from one location to another.
- Wood colour, grain and stain variations due to the inherent nature of wood.

# panels | fabric panel

| Description   | Item Number   | Price | Dimensions (in.) |    |      | Volume (cu. ft.) | Weight (lbs.) |
|---|---------------|-------|------------------|----|------|------------------|---------------|
|   |               |       | H                | W  | D    |                  |               |
| fabric panel<br> | Z-PBF0-4224-S | 470   | 42               | 24 | 2.25 | 1.35             | 23.2          |
|   | Z-PBF0-4230-S | 503   | 42               | 30 | 2.25 | 1.69             | 27.2          |
|   | Z-PBF0-4236-S | 594   | 42               | 36 | 2.25 | 2.03             | 31.2          |
|   | Z-PBF0-4242-S | 622   | 42               | 42 | 2.25 | 2.37             | 35.2          |
|   | Z-PBF0-4248-S | 656   | 42               | 48 | 2.25 | 2.70             | 29.2          |
|   | Z-PBF0-4254-S | 688   | 42               | 54 | 2.25 | 3.04             | 43.2          |
|   | Z-PBF0-4260-S | 719   | 42               | 60 | 2.25 | 3.38             | 47.2          |
|   | Z-PBF0-4266-S | 1075  | 42               | 66 | 2.25 | 3.72             | 51.2          |
|   | Z-PBF0-4272-S | 1165  | 42               | 72 | 2.25 | 4.05             | 55.2          |
|   | Z-PBF0-4824-S | 486   | 48               | 24 | 2.25 | 1.54             | 26.3          |
|   | Z-PBF0-4830-S | 521   | 48               | 30 | 2.25 | 1.92             | 30.3          |
|   | Z-PBF0-4836-S | 606   | 48               | 36 | 2.25 | 2.31             | 34.3          |
|   | Z-PBF0-4842-S | 638   | 48               | 42 | 2.25 | 2.69             | 38.3          |
|   | Z-PBF0-4848-S | 687   | 48               | 48 | 2.25 | 3.08             | 42.3          |
|   | Z-PBF0-4854-S | 722   | 48               | 54 | 2.25 | 3.46             | 46.3          |
|   | Z-PBF0-4860-S | 755   | 48               | 60 | 2.25 | 3.85             | 50.3          |
|   | Z-PBF0-4866-S | 1105  | 48               | 66 | 2.25 | 4.23             | 54.3          |
|   | Z-PBF0-4872-S | 1188  | 48               | 72 | 2.25 | 4.62             | 58.3          |

## ordering options

### FABRIC STANDARD SELECTION

- > 10 standard fabrics available, see grade A card
- > grade 1 fabric available at \$100 extra per panel
- > grade 2 fabric available at \$150 extra per panel
- > grade 3 fabric available at \$200 extra per panel

### WOOD TRIM


- > 3/8 inch thick solid poplar top caps and end trims
- > see metal/vinyl card for details. Available colors for panel trim/raceway are:

S130 / R130 putty  
 S112 / R112 silver  
 S139 / R139 charcoal  
 S114 / R114 black

## details

- panels are 2<sup>1</sup>/<sub>4</sub> inch thick
- panels arrive fully assembled, top caps and raceways are pre-assembled before shipping
- all panels are acoustical
- panel to panel connectors are included

# panels | fabric panel

| Description   | Item Number   | Price | Dimensions (in.) |    |      | Volume (cu. ft.) | Weight (lbs.) |
|---|---------------|-------|------------------|----|------|------------------|---------------|
|   |               |       | H                | W  | D    |                  |               |
| fabric panel<br> | Z-PBF0-5424-S | 505   | 54               | 24 | 2.25 | 1.73             | 29.4          |
|   | Z-PBF0-5430-S | 540   | 54               | 30 | 2.25 | 2.16             | 33.4          |
|   | Z-PBF0-5436-S | 618   | 54               | 36 | 2.25 | 2.59             | 33.4          |
|   | Z-PBF0-5442-S | 663   | 54               | 42 | 2.25 | 3.02             | 41.4          |
|   | Z-PBF0-5448-S | 721   | 54               | 48 | 2.25 | 3.45             | 45.4          |
|   | Z-PBF0-5454-S | 755   | 54               | 54 | 2.25 | 3.88             | 49.4          |
|   | Z-PBF0-5460-S | 788   | 54               | 60 | 2.25 | 4.32             | 53.4          |
|   | Z-PBF0-5466-S | 1135  | 54               | 66 | 2.25 | 4.75             | 57.4          |
|   | Z-PBF0-5472-S | 1212  | 54               | 72 | 2.25 | 5.18             | 61.4          |
|   | Z-PBF0-6024-S | 522   | 60               | 24 | 2.25 | 1.91             | 32.5          |
|   | Z-PBF0-6030-S | 574   | 60               | 30 | 2.25 | 2.39             | 36.5          |
|   | Z-PBF0-6036-S | 629   | 60               | 36 | 2.25 | 2.87             | 40.5          |
|   | Z-PBF0-6042-S | 675   | 60               | 42 | 2.25 | 3.35             | 44.5          |
|   | Z-PBF0-6048-S | 728   | 60               | 48 | 2.25 | 3.83             | 48.5          |
|   | Z-PBF0-6054-S | 780   | 60               | 54 | 2.25 | 4.31             | 52.5          |
|   | Z-PBF0-6060-S | 820   | 60               | 60 | 2.25 | 4.79             | 56.5          |
|   | Z-PBF0-6066-S | 1179  | 60               | 66 | 2.25 | 5.26             | 60.5          |
|   | Z-PBF0-6072-S | 1233  | 60               | 72 | 2.25 | 5.74             | 64.5          |

## ordering options

### FABRIC STANDARD SELECTION

- > 10 standard fabrics available, see grade A card
- > grade 1 fabric available at \$100 extra per panel
- > grade 2 fabric available at \$150 extra per panel
- > grade 3 fabric available at \$200 extra per panel

### WOOD TRIM


- > 3/8 inch thick solid poplar top caps and end trims
- > see metal/vinyl card for details. Available colors for panel trim/raceway are:

S130 / R130 putty  
 S112 / R112 silver  
 S139 / R139 charcoal  
 S114 / R114 black

## details

- panels are 2<sup>1/4</sup> inch thick
- panels arrive fully assembled, top caps and raceways are pre-assembled before shipping
- all panels are acoustical
- panel to panel connectors are included

# panels | fabric panel

| Description   | Item Number   | Price | Dimensions (in.) |    |      | Volume (cu. ft.) | Weight (lbs.) |
|---|---------------|-------|------------------|----|------|------------------|---------------|
|   |               |       | H                | W  | D    |                  |               |
| fabric panel<br> | Z-PBF0-6624-S | 526   | 66               | 24 | 2.25 | 2.10             | 35.6          |
|   | Z-PBF0-6630-S | 580   | 66               | 30 | 2.25 | 2.63             | 39.6          |
|   | Z-PBF0-6636-S | 636   | 66               | 36 | 2.25 | 3.15             | 43.6          |
|   | Z-PBF0-6642-S | 681   | 66               | 42 | 2.25 | 3.68             | 47.6          |
|   | Z-PBF0-6648-S | 738   | 66               | 48 | 2.25 | 4.20             | 51.6          |
|   | Z-PBF0-6654-S | 810   | 66               | 54 | 2.25 | 4.73             | 55.6          |
|   | Z-PBF0-6660-S | 925   | 66               | 60 | 2.25 | 5.25             | 59.6          |
|   | Z-PBF0-6666-S | 1192  | 66               | 66 | 2.25 | 5.78             | 63.6          |
|   | Z-PBF0-6672-S | 1247  | 66               | 72 | 2.25 | 6.30             | 67.6          |

## ordering options

### FABRIC STANDARD SELECTION

- > 10 standard fabrics available, see grade A card
- > grade 1 fabric available at \$100 extra per panel
- > grade 2 fabric available at \$150 extra per panel
- > grade 3 fabric available at \$200 extra per panel

### WOOD TRIM


- > 3/8 inch thick solid poplar top caps and end trims
- > see metal/vinyl card for details. Available colors for panel trim/raceway are:

- S130 / R130 putty
- S112 / R112 silver
- S139 / R139 charcoal
- S114 / R114 black

## details

- panels are 2<sup>1</sup>/<sub>4</sub> inch thick
- panels arrive fully assembled, top caps and raceways are pre-assembled before shipping
- all panels are acoustical
- panel to panel connectors are included

# panels | wing fabric panel

| Description  | Item Number   | Price | Dimensions (in.) |    |      | Volume (cu. ft.) | Weight (lbs.) |
|--|---------------|-------|------------------|----|------|------------------|---------------|
|  |               |       | H                | W  | D    |                  |               |
| wing fabric panel<br> | Z-PBF0-4224-W | 480   | 42               | 24 | 2.25 | 1.35             | 23.2          |
|  | Z-PBF0-4230-W | 513   | 42               | 30 | 2.25 | 1.69             | 27.2          |
|  | Z-PBF0-4236-W | 604   | 42               | 36 | 2.25 | 2.03             | 31.2          |
|  | Z-PBF0-4242-W | 640   | 42               | 42 | 2.25 | 2.37             | 35.2          |
|  | Z-PBF0-4824-W | 496   | 48               | 24 | 2.25 | 1.54             | 26.3          |
|  | Z-PBF0-4830-W | 531   | 48               | 30 | 2.25 | 1.92             | 30.3          |
|  | Z-PBF0-4836-W | 616   | 48               | 36 | 2.25 | 2.31             | 34.3          |
|  | Z-PBF0-4842-W | 657   | 48               | 42 | 2.25 | 2.69             | 38.3          |
|  | Z-PBF0-5424-W | 515   | 54               | 24 | 2.25 | 1.73             | 29.4          |
|  | Z-PBF0-5430-W | 550   | 54               | 30 | 2.25 | 2.16             | 33.4          |
|  | Z-PBF0-5436-W | 628   | 54               | 36 | 2.25 | 2.59             | 37.4          |
|  | Z-PBF0-5442-W | 681   | 54               | 42 | 2.25 | 3.02             | 41.4          |
|  | Z-PBF0-6024-W | 532   | 60               | 24 | 2.25 | 1.91             | 32.5          |
|  | Z-PBF0-6030-W | 584   | 60               | 30 | 2.25 | 2.39             | 36.5          |
|  | Z-PBF0-6036-W | 639   | 60               | 36 | 2.25 | 2.87             | 40.5          |
|  | Z-PBF0-6042-W | 693   | 60               | 42 | 2.25 | 3.35             | 44.5          |
|  | Z-PBF0-6624-W | 536   | 66               | 24 | 2.25 | 2.10             | 35.6          |
|  | Z-PBF0-6630-W | 590   | 66               | 30 | 2.25 | 2.63             | 39.6          |
|  | Z-PBF0-6636-W | 646   | 66               | 36 | 2.25 | 3.15             | 43.6          |
|  | Z-PBF0-6642-W | 700   | 66               | 42 | 2.25 | 3.68             | 47.6          |

## ordering options

### FABRIC STANDARD SELECTION

- > 10 standard fabrics available, see grade A card
- > grade 1 fabric available at \$100 extra per panel
- > grade 2 fabric available at \$150 extra per panel
- > grade 3 fabric available at \$200 extra per panel

### WOOD TRIM





- > 3/8 inch thick solid poplar top caps and end trims
- > see metal/vinyl card for details. Available colors for panel trim/raceway are:

- S130 / R130 putty
- S112 / R112 silver
- S139 / R139 charcoal
- S114 / R114 black

## details

- panels are 2<sup>1/4</sup> inch thick
- panels arrive fully assembled, top caps and raceways are pre-assembled before shipping
- all panels are acoustical
- panel to panel connectors are included

# panels | glazed panel

| Description   | Item Number   | Price | Dimensions (in.) |    |      | Volume (cu. ft.) | Weight (lbs.) |
|---|---------------|-------|------------------|----|------|------------------|---------------|
|   |               |       | H                | W  | D    |                  |               |
| glazed panel<br> | Z-PBG2-5454-S | 1154  | 54               | 54 | 2.25 | 3.885            | 50.05         |
|   | Z-PBG2-5460-S | 1205  | 54               | 60 | 2.25 | 4.316            | 55.08         |
|   | Z-PBG2-6654-S | 1205  | 66               | 54 | 2.25 | 4.729            | 55.17         |
|   | Z-PBG2-6660-S | 1262  | 66               | 60 | 2.25 | 5.254            | 60.56         |
|                  | Z-PBG3-5454-S | 1154  | 54               | 54 | 2.25 | 3.885            | 50.11         |
|   | Z-PBG3-5460-S | 1205  | 54               | 60 | 2.25 | 4.316            | 55.32         |
|   | Z-PBG3-6654-S | 1205  | 66               | 54 | 2.25 | 4.729            | 55.11         |
|   | Z-PBG3-6660-S | 1262  | 66               | 60 | 2.25 | 5.254            | 60.32         |
|                  | Z-PBG4-6654-S | 1205  | 66               | 54 | 2.25 | 4.729            | 55.05         |
|   | Z-PBG4-6660-S | 1262  | 66               | 60 | 2.25 | 5.254            | 60.08         |
|                | Z-PBG5-5454-S | 1154  | 54               | 54 | 2.25 | 3.885            | 50.17         |
|   | Z-PBG5-5460-S | 1205  | 54               | 60 | 2.25 | 4.316            | 55.56         |

## ordering options

### FABRIC STANDARD SELECTION

- > 10 standard fabrics available, see grade A card
- > grade 1 fabric available at \$100 extra per panel
- > grade 2 fabric available at \$150 extra per panel
- > grade 3 fabric available at \$200 extra per panel

### WOOD TRIM

- > 3/8 inch thick solid poplar top caps and end trims
- > see metal/vinyl card for details. Available colors for panel trim/raceway are:

S130 / R130 putty  
 S112 / R112 silver  
 S139 / R139 charcoal  
 S114 / R114 black





### GLAZING FINISHES

- > bronze, frosted and clear glazing available without up charge

## details

- panels are 2<sup>1/4</sup> inch thick
- panels arrive fully assembled, top caps and raceways are pre-assembled before shipping
- all panels are acoustical
- panel to panel connectors are included
- bronzed glazing is slightly tinted yet transparent
- frosted glazing is white in colour and is translucent

# panels | wing glazed panel

| Description  | Item Number   | Price | Dimensions (in.) |    |      | Volume (cu. ft.) | Weight (lbs.) |
|--|---------------|-------|------------------|----|------|------------------|---------------|
|  |               |       | H                | W  | D    |                  |               |
| <br>wing glazed panel | Z-PBG2-5424-W | 734   | 54               | 24 | 2.25 | 1.73             | 26.19         |
|  | Z-PBG2-5430-W | 806   | 54               | 30 | 2.25 | 2.16             | 31.59         |
|  | Z-PBG2-5436-W | 889   | 54               | 36 | 2.25 | 2.59             | 36.98         |
|  | Z-PBG2-5442-W | 992   | 54               | 42 | 2.25 | 3.02             | 42.38         |
|  | Z-PBG2-5448-W | 1063  | 54               | 48 | 2.25 | 3.45             | 47.77         |
|  | Z-PBG2-6624-W | 769   | 66               | 24 | 2.25 | 2.10             | 32.39         |
|  | Z-PBG2-6630-W | 845   | 66               | 30 | 2.25 | 2.63             | 37.79         |
|  | Z-PBG2-6636-W | 980   | 66               | 36 | 2.25 | 3.15             | 43.18         |
|  | Z-PBG2-6642-W | 1055  | 66               | 42 | 2.25 | 3.68             | 48.58         |
|  | Z-PBG2-6648-W | 1125  | 66               | 48 | 2.25 | 4.20             | 53.97         |
|                       | Z-PBG3-5424-W | 734   | 54               | 24 | 2.25 | 1.73             | 26.19         |
|  | Z-PBG3-5430-W | 806   | 54               | 30 | 2.25 | 2.16             | 31.59         |
|  | Z-PBG3-5436-W | 889   | 54               | 36 | 2.25 | 2.59             | 36.98         |
|  | Z-PBG3-5442-W | 992   | 54               | 42 | 2.25 | 3.02             | 42.38         |
|  | Z-PBG3-5448-W | 1063  | 54               | 48 | 2.25 | 3.45             | 47.77         |
|  | Z-PBG3-6624-W | 769   | 66               | 24 | 2.25 | 2.10             | 32.39         |
|  | Z-PBG3-6630-W | 845   | 66               | 30 | 2.25 | 2.63             | 37.79         |
|  | Z-PBG3-6636-W | 980   | 66               | 36 | 2.25 | 3.15             | 43.18         |
|  | Z-PBG3-6642-W | 1055  | 66               | 42 | 2.25 | 3.68             | 48.58         |
|  | Z-PBG3-6648-W | 1125  | 66               | 48 | 2.25 | 4.20             | 53.97         |
|                     | Z-PBG4-6624-W | 769   | 66               | 24 | 2.25 | 2.10             | 32.39         |
|  | Z-PBG4-6630-W | 845   | 66               | 30 | 2.25 | 2.63             | 37.79         |
|  | Z-PBG4-6638-W | 980   | 66               | 36 | 2.25 | 3.15             | 43.18         |
|  | Z-PBG4-6642-W | 1055  | 66               | 42 | 2.25 | 3.68             | 48.58         |
|  | Z-PBG4-6648-W | 1125  | 66               | 48 | 2.25 | 4.20             | 53.97         |
|                     | Z-PBG5-5424-W | 734   | 54               | 24 | 2.25 | 1.73             | 26.19         |
|  | Z-PBG5-5430-W | 806   | 54               | 30 | 2.25 | 2.16             | 31.59         |
|  | Z-PBG5-5436-W | 920   | 54               | 36 | 2.25 | 2.59             | 36.98         |
|  | Z-PBG5-5442-W | 992   | 54               | 42 | 2.25 | 3.02             | 42.38         |
|  | Z-PBG5-5448-W | 1063  | 54               | 48 | 2.25 | 3.45             | 47.77         |

## ordering options

### FABRIC STANDARD SELECTION

- > 10 standard fabrics available, see grade A card
- > grade 1 fabric available at \$100 extra per panel
- > grade 2 fabric available at \$150 extra per panel
- > grade 3 fabric available at \$200 extra per panel

### WOOD TRIM

- > 3/8 inch thick solid poplar top caps and end trims
- > see metal/vinyl card for details. Available colors for panel trim/raceway are:

- S130 / R130 putty
- S112 / R112 silver
- S139 / R139 charcoal
- S114 / R114 black



### GLAZING FINISHES

- > bronze, frosted and clear glazing available without up charge

### details

- panels are 2<sup>1/4</sup> inch thick
- panels arrive fully assembled, top caps and raceways are pre-assembled before shipping
- all panels are acoustical
- panel to panel connectors are included
- bronzed glazing is slightly tinted yet transparent
- frosted glazing is white in colour and is translucent

# panels | strata panel

| Description  | Item Number   | Price | Dimensions (in.) |    |      | Volume (cu. ft.) | Weight (lbs.) |
|--|---------------|-------|------------------|----|------|------------------|---------------|
|  |               |       | H                | W  | D    |                  |               |
|   | Z-PBS2-6654-S | 1274  | 54               | 54 | 2.25 | 4.20             | 56.61         |
|  | Z-PBS2-6660-S | 1330  | 66               | 60 | 2.25 | 4.20             | 56.61         |
|  | Z-PBS5-5454-S | 1250  | 54               | 54 | 2.25 | 4.20             | 56.61         |
|  | Z-PBS5-5460-S | 1301  | 54               | 60 | 2.25 | 4.20             | 56.61         |
|  |               |       |                  |    |      |                  |               |
|  | Z-PBS2-6624-W | 807   | 66               | 24 | 2.25 | 2.10             | 33.71         |
|  | Z-PBS2-6630-W | 893   | 66               | 30 | 2.25 | 2.63             | 50.27         |
|  | Z-PBS2-6636-W | 1035  | 66               | 36 | 2.25 | 3.15             | 45.16         |
|  | Z-PBS2-6642-W | 1107  | 66               | 42 | 2.25 | 3.68             | 50.89         |
|  | Z-PBS2-6648-W | 1190  | 66               | 48 | 2.25 | 4.20             | 56.61         |
|  | Z-PBS5-5424-W | 765   | 54               | 24 | 2.25 | 1.73             | 27.51         |
|  | Z-PBS5-5430-W | 844   | 54               | 30 | 2.25 | 2.16             | 33.24         |
|  | Z-PBS5-5436-W | 934   | 54               | 36 | 2.25 | 2.59             | 38.96         |
|  | Z-PBS5-5442-W | 1050  | 54               | 42 | 2.25 | 3.02             | 44.69         |
|  | Z-PBS5-5448-W | 1113  | 54               | 48 | 2.25 | 3.45             | 50.41         |

## ordering options

### FABRIC STANDARD SELECTION

- > 10 standard fabrics available, see grade A card
- > grade 1 fabric available at \$100 extra per panel
- > grade 2 fabric available at \$150 extra per panel
- > grade 3 fabric available at \$200 extra per panel

### WOOD TRIM

- > 3/8 inch thick solid poplar top caps and end trims
- > see metal/vinyl card for details. Available colors for panel trim/raceway are:

- S130 / R130 putty
- S112 / R112 silver
- S139 / R139 charcoal
- S114 / R114 black





### GLAZING FINISHES

- > bronze, frosted and clear glazing available without up charge

## details

- panels are 2<sup>1/4</sup> inch thick
- panels arrive fully assembled, top caps and raceways are pre-assembled before shipping
- all panels are acoustical
- panel to panel connectors are included
- bronzed glazing is slightly tinted yet transparent
- frosted glazing is white in colour and is translucent

# trim and connections | end posts and top caps

| Description   | Item Number | Price | Dimensions (in.) |      |      | Volume (cu. ft.) | Weight (lbs.) |
|---|-------------|-------|------------------|------|------|------------------|---------------|
|   |             |       | H                | W    | D    |                  |               |
| end post<br>                       | Z-HET0-06   | 69    | 6                | 0.38 | 2.25 | 0.003            | 0.16          |
|   | Z-HET0-12   | 71    | 12               | 0.38 | 2.25 | 0.01             | 0.33          |
|   | Z-HET0-18   | 73    | 18               | 0.38 | 2.25 | 0.01             | 0.49          |
|   | Z-HET0-24   | 75    | 24               | 0.38 | 2.25 | 0.01             | 0.66          |
|   | Z-HET0-42   | 79    | 42               | 0.38 | 2.25 | 0.02             | 1.15          |
|   | Z-HET0-48   | 83    | 48               | 0.38 | 2.25 | 0.02             | 1.31          |
|   | Z-HET0-54   | 88    | 54               | 0.38 | 2.25 | 0.03             | 1.47          |
|   | Z-HET0-60   | 93    | 60               | 0.38 | 2.25 | 0.03             | 1.64          |
|   | Z-HET0-66   | 98    | 66               | 0.38 | 2.25 | 0.03             | 1.80          |
| top cap, for 90 degree filler<br>   | Z-HUFC-N-A  | 45    |                  | 2.44 | 2.44 | 5.95             | 0.15          |
|   | Z-HUFC-N-B  | 45    |                  | 2.44 | 2.44 | 5.95             | 0.15          |
| top cap, for T filler<br>          | Z-HUFC-T-A  | 45    |                  | 2.25 | 2.44 | 5.95             | 0.15          |
|   | Z-HUFC-T-B  | 45    |                  | 2.25 | 2.44 | 5.95             | 0.15          |
|   | Z-HUFC-T-C  | 45    |                  | 2.25 | 2.44 | 5.95             | 0.15          |
|   | Z-HUFC-T-D  | 45    |                  | 2.25 | 2.44 | 5.95             | 0.15          |
| top cap, for 4-way connection<br> | Z-HUFC-4-A  | 45    |                  | 2.25 | 2.25 | 5.95             | 0.15          |
|   | Z-HUFC-4-B  | 45    |                  | 2.25 | 2.25 | 5.95             | 0.15          |

## ordering options

### WOOD TRIM





> Available colors for panel trim are:

- S130 putty
- S112 silver
- S139 charcoal
- S114 black

## details

- top caps with dowels can only be used with fabric panels
- top caps with perpendicular metal plates can only be used with glazed panels

# trim and connections | panel fillers

| Description  | Item Number | Price | Dimensions (in.) |   |      | Volume (cu. ft.) | Weight (lbs.) |
|--|-------------|-------|------------------|---|------|------------------|---------------|
|  |             |       | H                | W | D    |                  |               |
| filler, t, partial<br>    | Z-HFTP-06   | 14    | 6                |   | 2.25 | 0.00             | 0.1           |
|  | Z-HFTP-12   | 16    | 12               |   | 2.25 | 0.01             | 0.2           |
|  | Z-HFTP-18   | 18    | 18               |   | 2.25 | 0.01             | 0.3           |
|  | Z-HFTP-24   | 20    | 24               |   | 2.25 | 0.01             | 0.4           |
| filler, t, full<br>       | Z-HFTR-42   | 22    | 42               |   | 2.25 | 0.03             | 0.7           |
|  | Z-HFTR-48   | 25    | 48               |   | 2.25 | 0.03             | 0.8           |
|  | Z-HFTR-54   | 27    | 54               |   | 2.25 | 0.04             | 0.9           |
|  | Z-HFTR-60   | 30    | 60               |   | 2.25 | 0.04             | 1.0           |
|  | Z-HFTR-66   | 32    | 66               |   | 2.25 | 0.04             | 1.1           |
| filler, 90°, partial<br> | Z-HFNP-06   | 23    | 6                |   | 2.25 | 0.02             | 0.15          |
|  | Z-HFNP-12   | 25    | 12               |   | 2.25 | 0.04             | 0.30          |
|  | Z-HFNP-18   | 27    | 18               |   | 2.25 | 0.05             | 0.45          |
|  | Z-HFNP-24   | 29    | 24               |   | 2.25 | 0.07             | 0.60          |
| filler, 90°, full<br>   | Z-HFNR-42   | 31    | 42               |   | 2.25 | 0.12             | 1.05          |
|  | Z-HFNR-48   | 35    | 48               |   | 2.25 | 0.14             | 1.20          |
|  | Z-HFNR-54   | 38    | 54               |   | 2.25 | 0.16             | 1.35          |
|  | Z-HFNR-60   | 42    | 60               |   | 2.25 | 0.18             | 1.50          |
|  | Z-HFNR-66   | 46    | 66               |   | 2.25 | 0.19             | 1.65          |

## ordering options

### VINYL TRIM




> See metal/vinyl card for details. Available colors for vinyl finishes are:

- R130 putty
- R112 silver
- R139 charcoal
- R114 black

## details

- filler vinyl finishes are the same color as the panel raceway finish.

# trim and connections | wall connectors

| Description  | Item Number | Price | Dimensions (in.) |   |   | Volume (cu. ft.) | Weight (lbs.) |
|--|-------------|-------|------------------|---|---|------------------|---------------|
|  |             |       | H                | W | D |                  |               |
| wall to panel connector, fixed<br>  | Z-HWF1-42   | 97    | 37.5             |   |   | 0.06             | 2.07          |
|  | Z-HWF1-48   | 102   | 43.5             |   |   | 0.07             | 2.42          |
|  | Z-HWF1-54   | 110   | 49.5             |   |   | 0.08             | 2.74          |
|  | Z-HWF1-60   | 114   | 55.5             |   |   | 0.09             | 3.07          |
|  | Z-HWF1-66   | 125   | 61.5             |   |   | 0.10             | 3.40          |
| wall to panel connector, adjustable, type 1<br>(adjusts from 0" to 3")<br>  | Z-HWA1-42   | 106   | 37.5             |   |   | 0.22             | 9.16          |
|  | Z-HWA1-48   | 108   | 43.5             |   |   | 0.25             | 10.5          |
|  | Z-HWA1-54   | 110   | 49.5             |   |   | 0.28             | 11.8          |
|  | Z-HWA1-60   | 112   | 55.5             |   |   | 0.31             | 13.1          |
|  | Z-HWA1-66   | 114   | 61.5             |   |   | 0.34             | 14.4          |
| wall to panel connector, adjustable, type 2<br>(adjusts from 3" to 6")<br> | Z-HWA2-42   | 135   | 37.5             |   |   | 0.39             | 13.3          |
|  | Z-HWA2-48   | 138   | 43.5             |   |   | 0.45             | 15.2          |
|  | Z-HWA2-54   | 141   | 49.5             |   |   | 0.51             | 17.1          |
|  | Z-HWA2-60   | 144   | 55.5             |   |   | 0.56             | 19.0          |
|  | Z-HWA2-66   | 147   | 61.5             |   |   | 0.62             | 20.9          |

## ordering options

### WOOD / METAL FINISHES


> See metal/vinyl card for details. Available colors for finishes are:

- P130 putty
- P112 silver
- P139 charcoal
- P114 black

## details

- adjustable wall connectors is the same color as the raceway
- fixed wall connectors are the same color as the panel top cap and end post

# worksurfaces | straight worksurface

| Description  | Item Number | Price | Dimensions (in.) |    |      | Volume (cu. ft.) | Weight (lbs.) |
|--|-------------|-------|------------------|----|------|------------------|---------------|
|  |             |       | H                | W  | D    |                  |               |
| straight surface<br> | Z-WS00-2424 | 144   | 1                | 24 | 24   | 0.33             | 14.66         |
|  | Z-WS00-3024 | 172   | 1                | 30 | 24   | 0.42             | 18.36         |
|  | Z-WS00-3624 | 213   | 1                | 36 | 24   | 0.50             | 22.06         |
|  | Z-WS00-4224 | 221   | 1                | 42 | 24   | 0.58             | 25.77         |
|  | Z-WS00-4824 | 244   | 1                | 48 | 24   | 0.67             | 29.47         |
|  | Z-WS00-5424 | 292   | 1                | 54 | 24   | 0.75             | 33.02         |
|  | Z-WS00-6024 | 313   | 1                | 60 | 24   | 0.83             | 36.72         |
|  | Z-WS00-6624 | 342   | 1                | 66 | 24   | 0.92             | 40.42         |
|  | Z-WS00-7224 | 367   | 1                | 72 | 24   | 1.00             | 44.13         |
|  | Z-WS00-7824 | 392   | 1                | 78 | 24   | 1.08             | 47.83         |
|  | Z-WS00-8424 | 418   | 1                | 84 | 24   | 1.17             | 61.53         |
|  | Z-WS00-9024 | 434   | 1                | 90 | 24   | 1.25             | 55.08         |
|  | Z-WS00-9624 | 461   | 1                | 96 | 24   | 1.33             | 58.38         |
|  | Z-WS00-2430 | 172   | 1                | 24 | 30   | 0.42             | 18.36         |
|  | Z-WS00-3030 | 202   | 1                | 30 | 30   | 0.52             | 22.99         |
|  | Z-WS00-3630 | 234   | 1                | 36 | 30   | 0.63             | 27.62         |
|  | Z-WS00-4230 | 260   | 1                | 42 | 30   | 0.73             | 32.25         |
|  | Z-WS00-4830 | 297   | 1                | 48 | 30   | 0.83             | 36.88         |
|  | Z-WS00-5430 | 329   | 1                | 54 | 30   | 0.94             | 41.35         |
|  | Z-WS00-6030 | 361   | 1                | 60 | 30   | 1.04             | 45.98         |
|  | Z-WS00-6630 | 394   | 1                | 66 | 30   | 1.15             | 50.61         |
|  | Z-WS00-7230 | 426   | 1                | 72 | 30   | 1.25             | 55.24         |
|  | Z-WS00-7830 | 460   | 1                | 78 | 30   | 1.35             | 59.86         |
|  | Z-WS00-8430 | 485   | 1                | 84 | 30   | 1.46             | 64.49         |
| Z-WS00-9030  | 517         | 1     | 90               | 30 | 1.56 | 68.97            |               |
| Z-WS00-9630  | 549         | 1     | 96               | 30 | 1.67 | 73.60            |               |

## ordering options


### SURFACE FINISH

> all laminate and trim colours are available, see laminate card

## details

- all surfaces are 1" thick.

# worksurfaces | straight worksurface with grommets

| Description   | Item Number | Price | Dimensions (in.) |    |      | Volume (cu. ft.) | Weight (lbs.) |
|---|-------------|-------|------------------|----|------|------------------|---------------|
|   |             |       | H                | W  | D    |                  |               |
| straight surface w/grommet<br> | Z-WS0G-2424 | 184   | 1                | 24 | 24   | 0.33             | 14.66         |
|   | Z-WS0G-3024 | 212   | 1                | 30 | 24   | 0.42             | 18.36         |
|   | Z-WS0G-3624 | 263   | 1                | 36 | 24   | 0.50             | 22.06         |
|   | Z-WS0G-4224 | 271   | 1                | 42 | 24   | 0.58             | 25.77         |
|   | Z-WS0G-4824 | 294   | 1                | 48 | 24   | 0.67             | 29.47         |
|   | Z-WS0G-5424 | 342   | 1                | 54 | 24   | 0.75             | 33.02         |
|   | Z-WS0G-6024 | 363   | 1                | 60 | 24   | 0.83             | 36.72         |
|   | Z-WS0G-6624 | 392   | 1                | 66 | 24   | 0.92             | 40.42         |
|   | Z-WS0G-7224 | 417   | 1                | 72 | 24   | 1.00             | 44.13         |
|   | Z-WS0G-7824 | 442   | 1                | 78 | 24   | 1.08             | 47.83         |
|   | Z-WS0G-8424 | 468   | 1                | 84 | 24   | 1.17             | 61.53         |
|   | Z-WS0G-9024 | 505   | 1                | 90 | 24   | 1.25             | 68.97         |
|   | Z-WS0G-9624 | 540   | 1                | 96 | 24   | 1.33             | 73.60         |
|   | Z-WS0G-2430 | 212   | 1                | 24 | 30   | 0.42             | 18.36         |
|   | Z-WS0G-3030 | 242   | 1                | 30 | 30   | 0.52             | 22.99         |
|   | Z-WS0G-3630 | 274   | 1                | 36 | 30   | 0.63             | 27.62         |
|   | Z-WS0G-4230 | 300   | 1                | 42 | 30   | 0.73             | 32.25         |
|   | Z-WS0G-4830 | 337   | 1                | 48 | 30   | 0.83             | 36.88         |
|   | Z-WS0G-5430 | 369   | 1                | 54 | 30   | 0.94             | 41.35         |
|   | Z-WS0G-6030 | 401   | 1                | 60 | 30   | 1.04             | 45.98         |
|   | Z-WS0G-6630 | 434   | 1                | 66 | 30   | 1.15             | 50.61         |
|   | Z-WS0G-7230 | 466   | 1                | 72 | 30   | 1.25             | 55.24         |
|   | Z-WS0G-7830 | 500   | 1                | 78 | 30   | 1.35             | 59.86         |
|   | Z-WS0G-8430 | 525   | 1                | 84 | 30   | 1.46             | 64.49         |
| Z-WS0G-9030   | 557         | 1     | 90               | 30 | 1.56 | 68.97            |               |
| Z-WS0G-9630   | 589         | 1     | 96               | 30 | 1.66 | 73.60            |               |


## ordering options

**SURFACE FINISH**  
 > all laminate and trim colours are available, see laminate card


**GROMMET FINISH**  
 > silver or black

## details



- all surfaces are 1" thick.
- surfaces greater than 54 inches have two grommets as shown:



- 90 and 96 inch surfaces have three grommets as shown:



# worksurfaces | 5-sided corner workspace

| Description   | Item Number | Price | Dimensions (in.) |    |    | Volume (cu. ft.) | Weight (lbs.) |
|---|-------------|-------|------------------|----|----|------------------|---------------|
|   |             |       | H                | W  | D  |                  |               |
| 5-side corner workspace, curved front<br>   | Z-W5C0-3624 | 292   | 1                | 36 | 24 | 0.66             | 30.66         |
|   | Z-W5C0-4224 | 366   | 1                | 42 | 24 | 0.89             | 38.66         |
|   | Z-W5C0-4824 | 449   | 1                | 48 | 24 | 0.89             | 47.45         |
|   | Z-W5C0-4830 | 449   | 1                | 48 | 30 | 1.17             | 52.55         |
| 5-side corner workspace, straight front<br> | Z-W5S0-3624 | 292   | 1                | 36 | 24 | 0.66             | 30.66         |
|   | Z-W5S0-4224 | 366   | 1                | 42 | 24 | 0.89             | 38.66         |
|   | Z-W5S0-4824 | 449   | 1                | 48 | 24 | 0.89             | 47.45         |
|   | Z-W5S0-4830 | 449   | 1                | 48 | 30 | 1.17             | 52.55         |

## ordering options

### SURFACE FINISH

> all laminate and trim colours are available, see laminate card



### GROMMET FINISH

> silver or black

## details

- all surfaces are 1" thick.
- 5-sided corner worksurfaces come with one grommet

# worksurfaces | unitized worksurface

| Description   | Item Number   | Price | Dimensions (in.) |    |    | Volume (cu. ft.) | Weight (lbs.) |
|---|---------------|-------|------------------|----|----|------------------|---------------|
|   |               |       | H                | W  | D  |                  |               |
| unitized surface, curved front, left<br>  | Z-WUCG-5436-L | 437   | 1                | 54 | 36 | 0.94             | 41.22         |
|   | Z-WUCG-6036-L | 454   | 1                | 60 | 36 | 1.04             | 44.92         |
|   | Z-WUCG-6636-L | 499   | 1                | 66 | 36 | 1.15             | 48.62         |
|   | Z-WUCG-7236-L | 537   | 1                | 72 | 36 | 1.25             | 52.33         |
|   | Z-WUCG-7836-L | 573   | 1                | 78 | 36 | 1.35             | 56.03         |
|   | Z-WUCG-8436-L | 616   | 1                | 84 | 36 | 1.46             | 59.73         |
|   | Z-WUCG-9036-L | 687   | 1                | 90 | 36 | 1.56             | 63.28         |
|   | Z-WUCG-9636-L | 695   | 1                | 96 | 36 | 1.67             | 66.98         |
| unitized surface, curved front, right<br> | Z-WUCG-5436-R | 437   | 1                | 54 | 36 | 0.94             | 41.22         |
|   | Z-WUCG-6036-R | 454   | 1                | 60 | 36 | 1.04             | 44.92         |
|   | Z-WUCG-6636-R | 499   | 1                | 66 | 36 | 1.15             | 48.62         |
|   | Z-WUCG-7236-R | 537   | 1                | 72 | 36 | 1.25             | 52.33         |
|   | Z-WUCG-7836-R | 573   | 1                | 78 | 36 | 1.35             | 56.03         |
|   | Z-WUCG-8436-R | 616   | 1                | 84 | 36 | 1.46             | 59.73         |
|   | Z-WUCG-9036-R | 687   | 1                | 90 | 36 | 1.56             | 63.28         |
|   | Z-WUCG-9636-R | 695   | 1                | 96 | 36 | 1.67             | 66.98         |

## ordering options

### SURFACE FINISH


> all laminate and trim colours are available, see laminate card

### GROMMET FINISH





> silver or black

## details

- all surfaces are 1" thick.
- unitized surfaces come with two grommets
- 90 and 96 inch surfaces come with three grommets, as shown:



# supports | cantilevers



| Description  | Item Number | Price | Dimensions (in.) |     |     | Volume (cu. ft.) | Weight (lbs.) |
|--|-------------|-------|------------------|-----|-----|------------------|---------------|
|  |             |       | H                | W   | D   |                  |               |
| cantilever arm, black, intermediate<br> | Z-CCAB-16   | 45    |                  | 1.0 | 16  |                  | 2.20          |
|  | Z-CCAB-22   | 70    |                  | 1.0 | 22  |                  | 2.20          |
| cantilever arm, black, left hand<br>    | Z-CCAB-16-L | 39    |                  | 1.0 | 16  |                  | 2.20          |
|  | Z-CCAB-22-L | 54    |                  | 1.0 | 22  |                  | 2.20          |
| cantilever arm, black, right hand<br>   | Z-CCAB-16-R | 39    |                  | 1.0 | 16  |                  | 2.20          |
|  | Z-CCAB-22-R | 54    |                  | 1.0 | 22  |                  | 2.20          |
| triangle support<br>                    | Z-CT00-18   | 112   | 18               | 18  | 1.0 | 0.09             | 4.00          |

## ordering options

### FINISHES

- > the triangle support is available in all laminate and trim colors
- > the cantilever supports are available in black only

# supports | gables

| Description  | Item Number | Price | Dimensions (in.) |    |   | Volume (cu. ft.) | Weight (lbs.) |
|--|-------------|-------|------------------|----|---|------------------|---------------|
|  |             |       | H                | W  | D |                  |               |
| universal gable support, with cut out<br> | Z-CGUC-12   | 135   | 28               | 12 | 1 | 0.19             | 7.60          |
|  | Z-CGUC-18   | 162   | 28               | 18 | 1 | 0.29             | 11.47         |
| universal gable support<br>               | Z-CGU0-24   | 197   | 28               | 24 | 1 | 0.02             | 15.40         |
|  | Z-CGU0-30   | 202   | 28               | 30 | 1 | 0.03             | 19.33         |

---


## ordering options

### LAMINATE FINISH

> all laminate and trim colours are available, see laminate card

# supports | horizontal worksurface supports

---

| Description  | Item Number | Price | Dimensions (in.) |    |   | Volume<br>(cu. ft.) | Weight<br>(lbs.) |
|--|-------------|-------|------------------|----|---|---------------------|------------------|
|  |             |       | H                | W  | D |                     |                  |
| surface support, horizontal<br> | Z-CH00-54   | 132   | 0.05             | 51 | 3 | 0.05                | 4.00             |
|  | Z-CH00-60   | 147   | 0.05             | 57 | 3 | 0.05                | 4.50             |
|  | Z-CH00-66   | 163   | 0.05             | 63 | 3 | 0.06                | 5.00             |
|  | Z-CH00-72   | 167   | 0.05             | 69 | 3 | 0.06                | 5.50             |
|  | Z-CH00-78   | 189   | 0.05             | 75 | 3 | 0.07                | 6.00             |

---











## ordering options

> there are no options for these products

## details

- horizontal worksurface supports are silver only

# storage | underdesk

| Description   | Item Number     | Price | Dimensions (in.) |    |    | Volume (cu. ft.) | Weight (lbs.) |
|---|-----------------|-------|------------------|----|----|------------------|---------------|
|   |                 |       | H                | W  | D  |                  |               |
| underdesk pedestal, box/box/file<br>   | Z-FPBU-1618     | 846   | 28               | 16 | 18 | 4.67             | 58.00         |
| underdesk pedestal, file/file<br>  | Z-FPFU-1618     | 846   | 28               | 16 | 18 | 4.67             | 58.00         |
| underdesk gable pedestal, box/box/file<br>   | Z-FPBU-1624     | 976   | 28               | 16 | 24 | 6.22             | 58.00         |
| underdesk gable pedestal, file/file<br>  | Z-FPFU-1624     | 976   | 28               | 16 | 24 | 6.22             | 58.00         |
| metal underdesk pedestal no bracket, box/box/file   | Z-FPBU-1523-S   | 700   | 28               | 15 | 23 | 8.00             | 92.00         |
| metal underdesk pedestal with bracket, box/box/file   | Z-FPBU-1524-S-L | 789   | 28               | 15 | 24 | 8.00             | 92.00         |
|    | Z-FPBU-1524-S-R | 789   | 28               | 15 | 24 | 8.00             | 92.00         |
|   | Z-FPBU-1530-S-L | 829   | 28               | 15 | 30 | 8.00             | 92.00         |
|   | Z-FPBU-1530-S-R | 829   | 28               | 15 | 30 | 8.00             | 92.00         |
| no bracket      left      right   |                 |       |                  |    |    |                  |               |
| metal underdesk pedestal, no bracket, file/file   | Z-FPFU-1523     | 644   | 28               | 15 | 23 | 8.00             | 92.00         |
| metal underdesk pedestal, with bracket, file/file   | Z-FPFU-1524-S-L | 733   | 28               | 15 | 24 | 8.00             | 92.00         |
|    | Z-FPFU-1524-S-R | 733   | 28               | 15 | 24 | 8.00             | 92.00         |
|   | Z-FPFU-1530-S-L | 773   | 28               | 15 | 30 | 8.00             | 92.00         |
|   | Z-FPFU-1530-S-R | 773   | 28               | 15 | 30 | 8.00             | 92.00         |
| no bracket      left      right   |                 |       |                  |    |    |                  |               |

## ordering options

### LAMINATE FINISHES

> all laminate and trim colours are available, see laminate card

### METAL HANDLES

> handles are melbourne style in brushed nickel finish




### METAL PEDESTALS

> metal pedestals are available in white or silver  
 > brackets that secure metal pedestals to panels are handed.  
 > specify the metal pedestal and bracket ensemble to be the same depth as the worksurface under which it will be located.

## details

- cabinets are lockable
- stations are keyed alike upon request
- pencil trays are included in one box drawer of box/box/file pedestals
- full extension heavy duty slides
- metal pedestals are made from 20-gauge steel
- drawer fronts on metal pedestals have a double wall steel construction
- metal pedestals are keyed randomly

# storage | underdesk

| Description  | Item Number   | Price | Dimensions (in.) |    |    | Volume (cu. ft.) | Weight (lbs.) |
|--|---------------|-------|------------------|----|----|------------------|---------------|
|  |               |       | H                | W  | D  |                  |               |
| underdesk joined lateral, box/box/file<br> | Z-FPJU-3621-L | 1932  | 28               | 36 | 21 | 12.25            | 130.0         |
|  | Z-FPJU-3621-R | 1932  | 28               | 36 | 21 | 12.25            | 130.0         |
| underdesk lateral, 2 drawer<br>            | Z-FL2U-3021   | 1848  | 28               | 30 | 21 | 10.21            | 107.0         |
|  | Z-FL2U-3621   | 2021  | 28               | 36 | 21 | 12.25            | 130.0         |
|  | Z-FL2U-4221   | 2188  | 28               | 42 | 21 | 14.29            | 150.0         |
| underdesk storage cabinet<br>              | Z-FSU0-3021   | 1286  | 28               | 30 | 21 | 10.21            | 107.0         |
|  | Z-FSU0-3621   | 1365  | 28               | 36 | 21 | 12.25            | 130.0         |

## ordering options

### LAMINATE FINISHES

>all laminate and trim colours are available, see laminate card



### METAL HANDLES

>handles are melbourne style in brushed nickel finish

## details

- cabinets are lockable
- stations are keyed alike upon request
- pencil trays are included in one box drawer of box/box/file pedestals
- full extension heavy duty slides

# storage | overhead

| Description  | Item Number | Price | Dimensions (in.) |    |    | Volume (cu. ft.) | Weight (lbs.) |
|--|-------------|-------|------------------|----|----|------------------|---------------|
|  |             |       | H                | W  | D  |                  |               |
| flipper cabinet<br> | Z-SOFC-1430 | 680   |                  | 30 | 14 | 3.71             | 32.10         |
|  | Z-SOFC-1436 | 807   |                  | 36 | 14 | 4.45             | 34.70         |
|  | Z-SOFC-1442 | 842   |                  | 42 | 14 | 5.19             | 38.60         |
|  | Z-SOFC-1448 | 878   |                  | 48 | 14 | 5.93             | 42.50         |
|  | Z-SOFC-1454 | 915   |                  | 54 | 14 | 6.67             | 45.70         |
|  | Z-SOFC-1460 | 950   |                  | 60 | 14 | 7.41             | 49.10         |
| metal shelf<br>     | Z-SOOM-1230 | 290   |                  | 30 | 12 | 0.54             | 13.03         |
|  | Z-SOOM-1236 | 304   |                  | 36 | 12 | 0.61             | 14.75         |
|  | Z-SOOM-1242 | 320   |                  | 42 | 12 | 0.69             | 16.48         |
|  | Z-SOOM-1248 | 336   |                  | 48 | 12 | 0.76             | 18.20         |
|  | Z-SOOM-1254 | 344   |                  | 54 | 12 | 0.83             | 19.93         |
|  | Z-SOOM-1260 | 367   |                  | 60 | 12 | 0.90             | 21.65         |

## ordering options

### LAMINATE FINISHES

> all laminate and trim colours are available, see laminate card






### METAL FINISHES

> all metals finishes are available, see metal card

## details

- flipper cabinets are lockable
- stations are keyed alike upon request

# accessories | ergonomic






| Description  | Item Number   | Price | Dimensions (in.) |      |    | Volume (cu. ft.) | Weight (lbs.) |
|--|---------------|-------|------------------|------|----|------------------|---------------|
|  |               |       | H                | W    | D  |                  |               |
| pencil drawer<br>                         | Z-ADPP        | 54    |                  |      |    | 0.62             | 2.0           |
| articulating keyboard tray with mouse<br> | Z-KAS0-2011-L | 586   |                  |      |    |                  | 2.0           |
|  | Z-KAS0-2011-R | 586   |                  |      |    |                  | 2.0           |
| articulating laminate keyboard tray<br>   | Z-KAS0-2510   | 532   |                  | 25   | 10 |                  | 15.1          |
| retractable laminate keyboard tray<br>    | Z-KRS0-2516   | 152   |                  | 25   | 16 |                  | 11.6          |
| monitor arm, grommet mount type<br>      | Z-AFMA-G      | 652   | 16               | 5-20 |    | 0.05             | 7.7           |

## ordering options

### FINISHES

- > pencil drawers are in black only
- > articulating keyboard trays with mouse are in black only
- > monitor arms are in silver only


# power, data, lighting | modules and starters

| Description   | Item Number  | Price | Dimensions (in.) |      |   | Volume<br>(cu. ft.) | Weight<br>(lbs.) |
|---|--------------|-------|------------------|------|---|---------------------|------------------|
|   |              |       | H                | W    | D |                     |                  |
| power module - 1 sided<br>             | Z-EM73-S     | 178   |                  | 7.00 |   | 0.50                |                  |
| power module - 2 sided<br>             | Z-EM73-D     | 251   |                  | 7.00 |   | 0.60                |                  |
| starter, single sided box<br>          | Z-ES73-072-S | 398   |                  | 72.0 |   | 2.28                |                  |
|   | Z-ES73-168-S | 538   |                  | 168  |   | 5.22                |                  |
| starter, double sided box<br>          | Z-ES73-072-D | 471   |                  | 72.0 |   | 2.28                |                  |
|   | Z-ES73-168-D | 611   |                  | 168  |   | 5.22                |                  |
| communication kit, type 1:RJ1145<br> | Z-ECK1       | 256   |                  |      |   | 0.24                |                  |

## details

- 7 wire 3 circuit electrics


# power, data, lighting | harness

| Description   | Item Number | Price | Dimensions (in.) |      |      | Volume<br>(cu. ft.) | Weight<br>(lbs.) |
|---|-------------|-------|------------------|------|------|---------------------|------------------|
|   |             |       | H                | W    | D    |                     |                  |
| harness<br> | Z-EH73-017  | 157   |                  | 17.5 |      | 0.60                |                  |
|   | Z-EH73-020  | 162   |                  | 20.5 |      | 0.70                |                  |
|   | Z-EH73-023  | 168   |                  | 23.5 |      | 0.80                |                  |
|   | Z-EH73-026  | 174   |                  | 26.5 |      | 0.80                |                  |
|   | Z-EH73-029  | 180   |                  | 29.5 |      | 0.90                |                  |
|   | Z-EH73-032  | 185   |                  | 32.5 |      | 1.00                |                  |
|   | Z-EH73-035  | 191   |                  | 35.5 |      | 1.10                |                  |
|   | Z-EH73-038  | 197   |                  | 38.5 |      | 1.20                |                  |
|   | Z-EH73-041  | 203   |                  | 41.5 |      | 1.30                |                  |
|   | Z-EH73-044  | 208   |                  | 44.5 |      | 1.40                |                  |
|   | Z-EH73-047  | 214   |                  | 47.5 |      | 1.50                |                  |
|   | Z-EH73-050  | 220   |                  | 50.5 |      | 1.50                |                  |
|   | Z-EH73-053  | 226   |                  | 53.5 |      | 1.60                |                  |
|   | Z-EH73-056  | 232   |                  | 56.5 |      | 1.70                |                  |
|   | Z-EH73-059  | 237   |                  | 59.5 |      | 1.80                |                  |
|   | Z-EH73-062  | 243   |                  | 62   |      | 1.90                |                  |
|   | Z-EH73-065  | 249   |                  | 65.5 |      | 1.90                |                  |
|   | Z-EH73-068  | 255   |                  | 68.5 |      | 1.95                |                  |
|   | Z-EH73-071  | 266   |                  | 71.5 |      | 2.00                |                  |
|   | Z-EH73-074  | 272   |                  | 74.5 |      | 2.04                |                  |
| Z-EH73-077  | 278         |       | 77.5             |      | 2.12 |                     |                  |
| Z-EH73-080  | 286         |       | 80.5             |      | 2.30 |                     |                  |
| Z-EH73-083  | 291         |       | 83.5             |      | 2.37 |                     |                  |
| Z-EH73-086  | 295         |       | 86.5             |      | 2.37 |                     |                  |
| Z-EH73-089  | 301         |       | 89.5             |      | 2.37 |                     |                  |
| Z-EH73-092  | 306         |       | 92.5             |      | 2.53 |                     |                  |
| Z-EH73-095  | 312         |       | 95.5             |      | 2.53 |                     |                  |
| Z-EH73-098  | 318         |       | 95.85            |      | 2.70 |                     |                  |
| Z-EH73-101  | 324         |       | 101.5            |      | 2.70 |                     |                  |
| Z-EH73-104  | 329         |       | 104.5            |      | 2.86 |                     |                  |
| Z-EH73-107  | 334         |       | 107.5            |      | 2.86 |                     |                  |
| Z-EH73-110  | 338         |       | 110.5            |      | 3.03 |                     |                  |


## details

- 7 wire 3 circuit electrics

# power, data, lighting | harness

| Description   | Item Number | Price | Dimensions (in.) |       |   | Volume<br>(cu. ft.) | Weight<br>(lbs.) |
|---|-------------|-------|------------------|-------|---|---------------------|------------------|
|   |             |       | H                | W     | D |                     |                  |
| harness<br> | Z-EH73-113  | 345   |                  | 113.5 |   |                     | 3.03             |
|   | Z-EH73-116  | 352   |                  | 116.5 |   |                     | 3.19             |
|   | Z-EH73-119  | 358   |                  | 119.5 |   |                     | 3.19             |
|   | Z-EH73-122  | 363   |                  | 122.5 |   |                     | 3.36             |
|   | Z-EH73-125  | 369   |                  | 125.5 |   |                     | 3.36             |
|   | Z-EH73-128  | 374   |                  | 128.5 |   |                     | 3.52             |
|   | Z-EH73-131  | 380   |                  | 131.5 |   |                     | 3.52             |
|   | Z-EH73-134  | 386   |                  | 134.5 |   |                     | 3.39             |
|   | Z-EH73-137  | 392   |                  | 137.5 |   |                     | 3.69             |
|   | Z-EH73-140  | 397   |                  | 140.5 |   |                     | 3.85             |
|   | Z-EH73-143  | 546   |                  | 143.5 |   |                     | 3.93             |
|   | Z-EH73-146  | 552   |                  | 146.5 |   |                     | 4.02             |
|   | Z-EH73-149  | 558   |                  | 149.5 |   |                     | 4.10             |
|   | Z-EH73-152  | 564   |                  | 152.5 |   |                     | 4.18             |
|   | Z-EH73-155  | 570   |                  | 155.5 |   |                     | 4.26             |
|   | Z-EH73-158  | 575   |                  | 158.5 |   |                     | 4.35             |
|   | Z-EH73-161  | 581   |                  | 161.5 |   |                     | 4.43             |
|   | Z-EH73-164  | 587   |                  | 164.5 |   |                     | 4.51             |
|   | Z-EH73-167  | 593   |                  | 167.5 |   |                     | 4.59             |
|   | Z-EH73-170  | 598   |                  | 170.5 |   |                     | 4.68             |
| Z-EH73-173  | 604         |       | 173.5            |       |   | 4.76                |                  |
| Z-EH73-176  | 610         |       | 176.5            |       |   | 4.84                |                  |
| Z-EH73-179  | 616         |       | 179.5            |       |   | 4.92                |                  |
| Z-EH73-182  | 622         |       | 182.5            |       |   | 5.01                |                  |
| Z-EH73-185  | 627         |       | 185.5            |       |   | 5.09                |                  |
| Z-EH73-188  | 633         |       | 188.5            |       |   | 5.17                |                  |
| Z-EH73-191  | 645         |       | 191.5            |       |   | 5.25                |                  |
| Z-EH73-194  | 650         |       | 194.5            |       |   | 5.34                |                  |
| Z-EH73-197  | 656         |       | 197.5            |       |   | 5.42                |                  |
| Z-EH73-200  | 664         |       | 200.5            |       |   | 5.50                |                  |
| Z-EH73-203  | 673         |       | 203.5            |       |   | 5.67                |                  |
| Z-EH73-206  | 673         |       | 206.5            |       |   | 5.67                |                  |

# power, data, lighting | harness

| Description   | Item Number | Price | Dimensions (in.) |       |   | Volume (cu. ft.) | Weight (lbs.) |
|---|-------------|-------|------------------|-------|---|------------------|---------------|
|   |             |       | H                | W     | D |                  |               |
| harness<br> | Z-EH73-209  | 685   |                  | 206.5 |   | 5.83             |               |
|   | Z-EH73-212  | 685   |                  | 212.5 |   | 5.83             |               |
|   | Z-EH73-215  | 696   |                  | 215.5 |   | 6.00             |               |
|   | Z-EH73-218  | 696   |                  | 218.5 |   | 6.00             |               |
|   | Z-EH73-221  | 707   |                  | 221.5 |   | 6.16             |               |
|   | Z-EH73-224  | 707   |                  | 224.5 |   | 6.16             |               |
|   | Z-EH73-227  | 722   |                  | 227.5 |   | 6.33             |               |
|   | Z-EH73-230  | 722   |                  | 230.5 |   | 6.33             |               |
|   | Z-EH73-233  | 730   |                  | 233.5 |   | 6.49             |               |
|   | Z-EH73-236  | 730   |                  | 236.5 |   | 6.49             |               |
|   | Z-EH73-239  | 741   |                  | 239.5 |   | 6.66             |               |
|   | Z-EH73-242  | 741   |                  | 242.5 |   | 6.66             |               |
|   | Z-EH73-245  | 753   |                  | 245.5 |   | 6.82             |               |
|   | Z-EH73-248  | 753   |                  | 248.5 |   | 6.82             |               |
|   | Z-EH73-251  | 764   |                  | 251.5 |   | 6.99             |               |
|   | Z-EH73-254  | 764   |                  | 254.5 |   | 6.99             |               |
|   | Z-EH73-257  | 775   |                  | 257.5 |   | 7.15             |               |
|   | Z-EH73-260  | 775   |                  | 260.5 |   | 7.15             |               |


harness, male-female 120"

Z-7FM-120

379

120.0

0.60



## ordering options

### FINISHES

> Available colors for raceway are:

- S130 / R130 putty
- S112 / R112 silver
- S139 / R139 charcoal
- S114 / R114 black

# power, data, lighting | wire management

---

| Description | Item Number | Price | Dimensions (in.) |   |   | Volume<br>(cu. ft.) | Weight<br>(lbs.) |
|-------------|-------------|-------|------------------|---|---|---------------------|------------------|
|             |             |       | H                | W | D |                     |                  |
| power pole  | Z-EPV0-072  | 146   | 72               |   |   | 0.20                | 5.00             |
|             | Z-EPV0-144  | 276   | 144              |   |   | 0.41                | 6.00             |



---

## ordering options

### FINISHES


> Available colors for raceway are:

- S130 / R130 putty
- S112 / R112 silver
- S139 / R139 charcoal
- S114 / R114 black

# power, data, lighting | task lights

---

| Description | Item Number | Price | Dimensions (in.) |    |     | Volume (cu. ft.) | Weight (lbs.) |
|-------------|-------------|-------|------------------|----|-----|------------------|---------------|
|             |             |       | H                | W  | D   |                  |               |
| task light  | Z-ELU-24    | 228   | 1.1              | 24 | 3.5 | 0.16             | 9.50          |
|             | Z-ELU-36    | 256   | 1.1              | 36 | 3.5 | 0.27             | 13.70         |
|             | Z-ELU-48    | 272   | 1.1              | 48 | 3.5 | 0.38             | 17.90         |



---

## ordering options

### FINISHES

> the task light is finished in silver only

## details

- the task light is mounted with magnets underneath an overhead cabinet or shelf to provide focused lighting within the workstation
- 160° swiveling lamps allows the user to position the light where it is needed
- the task light is equipped with a fluorescent T5 tube and electronic ballast to reduce energy consumption

tayco.  
work well.™

office furniture  
in your comfort zone.  
[www.tayco.com](http://www.tayco.com)

Toll Free: 1-800-675-4092  
Phone: (416) 252-8000  
Fax: (416) 252-4467